

Rubber Mastic (RM)

Self-Bonding Mastic Tape

Technical Data Sheet October 2017

Description and Features

Rubber mastic is a self-bonding mastic tape consisting of an ethylene propylene rubber (EPR) backing, bonded to a tacky temperature stable, electrical grade mastic. Use for insulating and moisture sealing splices and terminations on solid dielectric cable. Provides excellent electrical properties, superior adhesion, moisture and chemical resistance. For primary insulation up to 2kV.

- · Excellent electrical properties
- Superior adhesion
- UV resistant.
- · Moisture, corrosion, and chemical resistant
- Suitable for direct burial and overhead applications

Materials	Backing EPR	Adhesive Mastic	Color Black	Standard Sizes Width x Length	
				38 mm x 3 m (1,5" x 10') 51 mm x 3 m (2,0" x 10')	
					lable upon request
Technical Properties	Characteris			Typical Value	Test Method
	Thickness (r			1,65	ASTM D 4325
	Elongation (%)			890	ASTM D 412
	Operating te	mperature:			
	Continuous (°C)			90	ASTM D 4325
	Emergency overload (°C)			130	ASTM D 4325
	Water absorption (%)			0,10	ASTM D 570
	Copper corrosion (visual)			None	ASTM D 69
	Ozone resistance (visual)			Pass	ASTM D 4325
	UV Resistance			Pass	ASTM D 4325
	Dielectric strength (kV/mm)			20	ASTM D 149
	Dielectric constant			3,2	ASTM D 150
	Dissipation f	actor		0,025	ASTM D 150
	Volume resi	stivity (Ω.cm)		1x10 ¹⁵	ASTM D 257
	Insulation Resistance ($M\Omega$)			>1x10 ⁶	ASTM D 257
Recommended Uses	Use for insulating and moisture-sealing splices and terminations on solid dielectric cable. Can be wrapped, stretched or molded around irregular shapes for insulation build up, water sealing and surface protection. Ideal for Bus Bar insulation and corrosion protection.				
Storage	In original packaging, placed in horizontal position under cover and temperature between 5°C and 35 °C.				
Shelf Life	60 months from	n date of manufacture.			

Information provided is for reference only. Data in table represent average test results and are not to be used for specification purposes. The product user should make his/her own tests to determine the product's suitability for the intended use

LIMITED WARRANTY: Plymouth warrants that its Product will substantially conform to that products written specifications for a period of one (1) year from the date of shipment, (Unless provided otherwise). Plymouth makes no warranty to the distributor, its customers, or the product's end user for the products merchantability and/or suitability for his/fits intended use or purpose, and buyer shall assume all risks associated therewith. Provided that the product is proved to be defective within the terms described above, and provided buyer shall have first compiled with all return policies of Plymouth, PLYMOUTH'S SOLE OBLIGATION AND BUYER'S EXCLUSIVE REMEDY UNDER THIS PRODUCT WARRANTY SHALL BE TO REPLACE SUCH QUANTITY OF THE PRODUCT AS IS PROVED TO BE DEFECTIVE WITHIN THE TIME PERIOD SPECIFIED ABOVE. EXCEPT AS EXPRESSLY SET FORTH HEREIN, PLYMOUTH MAKES NO OTHER ARRANTIES, EXPRESS OR IMPLIED. In no event shall Plymouth be liable for collateral, consequential, indirect or incidental damages arising out of, or connected in any way with the supply of products. (Rev. 1/2017-2019)