



ELECTRONICS, INC.
44 FARRAND STREET
BLOOMFIELD, NJ 07003
(973) 748-5089

NTE2505 Silicon NPN Transistor Low Frequency, General Purpose Amp

Features:

- High Current Capacity
- High DC Current Gain
- Low Collector Emitter Saturation Voltage
- High Emitter Base Breakdown Voltage

Absolute Maximum Ratings: ($T_A = +25^\circ\text{C}$ unless otherwise specified)

Collector–Base Voltage, V_{CBO}	30V
Collector–Emitter Voltage, V_{CEO}	25V
Emitter–Base Voltage, V_{EBO}	15V
Collector Current, I_C	
Continuous	2A
Peak	4A
Base Current, I_B	400mA
Collector Power Dissipation, P_C	1W
Operating Junction Temperature, T_J	+150°C
Storage Temperature Range, T_{stg}	−55° to +150°C

Electrical Characteristics: ($T_A = +25^\circ\text{C}$ unless otherwise specified)

Parameter	Symbol	Test Conditions	Min	Typ	Max	Unit
Collector Cutoff Current	I_{CBO}	$V_{CB} = 20\text{V}$, $I_E = 0$	—	—	100	nA
Emitter Cutoff Current	I_{EBO}	$V_{EB} = 10\text{V}$, $I_C = 0$	—	—	100	nA
DC Current Gain	h_{FE}	$V_{CE} = 5\text{V}$, $I_C = 500\text{mA}$	800	1500	3200	
		$V_{CE} = 5\text{V}$, $I_C = 1\text{A}$	600	—	—	
Gain–Bandwidth Product	f_T	$V_{CE} = 10\text{V}$, $I_C = 50\text{mA}$	—	260	—	MHz
Output Capacitance	C_{ob}	$V_{CB} = 10\text{V}$, $f = 1\text{MHz}$	—	27	—	pF
Collector Emitter Saturation Voltage	$V_{CE(\text{sat})}$	$I_C = 1\text{A}$, $I_B = 20\text{mA}$	—	0.15	0.5	V
Base Emitter Saturation Voltage	$V_{BE(\text{sat})}$	$I_C = 1\text{A}$, $I_B = 20\text{mA}$	—	0.85	1.2	V

Electrical Characteristics (Cont'd): ($T_A = +25^\circ\text{C}$ unless otherwise specified)

Parameter	Symbol	Test Conditions	Min	Typ	Max	Unit
Collector Base Breakdown Voltage	$V_{(\text{BR})\text{CBO}}$	$I_C = 10\mu\text{A}, I_E = 0$	30	—	—	V
Collector Emitter Breakdown Voltage	$V_{(\text{BR})\text{CEO}}$	$I_C = 1\text{mA}, R_{BE} = \infty$	25	—	—	V
Emitter Base Breakdown Voltage	$V_{(\text{BR})\text{EBO}}$	$I_E = 10\mu\text{A}, I_C = 0$	15	—	—	V
Turn-On Time	t_{on}	$V_{CC} = 10\text{V}, V_{BE} = -5\text{V},$ $100I_{B1} = -100I_{B2} = I_C = 700\text{mA},$ Pulse Width = $20\mu\text{s}$, Duty Cycle $\leq 1\%$	—	0.14	—	μs
Storage Time	t_{stg}		—	1.35	—	μs
Fall Time	t_f		—	0.1	—	μs

